




PITCH
.404"

GB HARVESTER GUIDE BAR MOUNTS

HF2 / FF2, FQ2 / WF2, WQ2 / HM2 / FM2 / WM2 / FM4 / WM4 / JPS / IF4 / VB / PMB5 / CB2 / SM2



WHERE TO FIND GUIDE BAR PART NUMBER



The guide bar part number can be found near the bar mount. You will see the number, example: **WM2-25-80XV**

UNDERSTANDING GUIDE BAR PART NUMBERS



WM2 - 25 - 80 X V

MOUNT	CUT LENGTH	GAUGE	NOSE TYPE
WM2	25"	0.080"	XV




HF2

NARROW



CDE10-404
CDE11-404
CDE12-404

XREF:
L149/L163/Q149



10mm 20mm
100% SCALE



Titanium[®] XXV

GB PART#	OREGON XREF	GAUGE	PITCH	LENGTH
HF2-16-80XV	502RHFL163	0.080"	.404"	50 cm
HF2-17-80XV	552RHFL163	0.080"	.404"	55 cm
HF2-20-80XV	602SMRQ163	0.080"	.404"	60 cm
HFU2-20-80XV (STUMP TREATMENT)	602HLFL163	0.080"	.404"	60 cm
HF2-23-80XV	672SMRQ163	0.080"	.404"	67 cm
HFU2-23-80XV (STUMP TREATMENT)	672HRFL163	0.080"	.404"	67 cm
HF2-25-80XV	752RHFL149	0.080"	.404"	75 cm
HFU2-25-80XV (STUMP TREATMENT)	752HLFL163	0.080"	.404"	75 cm
HF2-29-80XV	822SMRQ149	0.080"	.404"	82 cm
HFU2-29-80XV (STUMP TREATMENT)	822HLFL163	0.080"	.404"	82 cm
HF2-31-80XV	902RHFL149	0.080"	.404"	90 cm
HFU2-31-80XV (STUMP TREATMENT)	902HLFL163	0.080"	.404"	90 cm
HF2-35-80XV	-	0.080"	.404"	100 cm

SPECIAL PURPOSE GUIDE BARS

HF2-16-80RM	502RHFL163	0.080"	.404"	50 cm
HF2-17-80RM	552RHFL163	0.080"	.404"	55 cm
HF2-20-80RM	602RHFL163	0.080"	.404"	60 cm
HF2-21-80RM	-	0.080"	.404"	64 cm
HF2-23-80RM	672RHFL163	0.080"	.404"	67 cm
HF2-25-80RM	752RHFL149	0.080"	.404"	75 cm
HF2-29-80RM	822RHFL149	0.080"	.404"	82 cm
HF2-31-80RM	902RHFL149	0.080"	.404"	90 cm
HF2-35-80RM	-			100 cm



FF2

MEDIUM




CDE12-404
CDE13-404
CDE14-404

XREF:
B149/B163/R149



10mm 20mm
100% SCALE



Titanium[®] XV

GB PART#	OREGON XREF	GAUGE	PITCH	LENGTH
FF2-17-80XV	552RHFB163	0.080"	.404"	55 cm
FF2-20-80XV	602RHFB163	0.080"	.404"	60 cm
FFU2-20-80XV (STUMP TREATMENT)	-	0.080"	.404"	60 cm
FF2-21-80XV	-	0.080"	.404"	64 cm
FFU2-21-80XV (STUMP TREATMENT)	-	0.080"	.404"	64 cm
FF2-23-80XV	672RHFB163	0.080"	.404"	67 cm
FFU2-23-80XV (STUMP TREATMENT)	672HRFB163	0.080"	.404"	67 cm
FF2-25-80XV	752SMRR149	0.080"	.404"	75 cm
FFU2-25-80XV (STUMP TREATMENT)	-	0.080"	.404"	75 cm
FF2-29-80XV	822SMRR149	0.080"	.404"	82 cm
FFU2-29-80XV (STUMP TREATMENT)	-	0.080"	.404"	82 cm
For bars over 82cm/29" use FQ2				
FQ2-31-80XV	902SMRR149	0.080"	.404"	90 cm
FQ2-35-80XV	972SMRR149	0.080"	.404"	100 cm

SPECIAL PURPOSE GUIDE BARS

FF2-17-80RM	552RHFB163	0.080"	.404"	55 cm
FF2-20-80RM	602RHFB163	0.080"	.404"	60 cm
FF2-21-80RM	-	0.080"	.404"	64 cm
FF2-23-80RM	672RHFB163	0.080"	.404"	67 cm
FF2-25-80RM	752RHFB149	0.080"	.404"	75 cm
FF2-29-80RM	822RHFB149	0.080"	.404"	82 cm



FQ2
MEDIUM LONG




CDE12-404
CDE13-404
CDE14-404


XREF:
B149/B163/R149



10mm 20mm
100% SCALE



Titanium[®]-XV



GB PART#	OREGON XREF	GAUGE	PITCH	LENGTH
FQ2-31-80XV	902SMRRI49	0.080"	.404"	90 cm
FQ2-35-80XV	972SMRRI49	0.080"	.404"	100 cm

STUMP TREATMENT GUIDE BARS AVAILABLE ON REQUEST



WF2

WIDE



CDE14-404

CDE15-404

CDE16-404

CDE17-404

CDE18-404

XREF:

D149/P149

10mm

15mm

10mm



10mm 20mm

100% SCALE



Titanium[®]-XV

GB PART#	OREGON XREF	GAUGE	PITCH	LENGTH
WF2-20-80XV	-	0.080"	.404"	60 cm
WUF2-20-80XV (STUMP TREATMENT)	-	0.080"	.404"	60 cm
WF2-23-80XV	-	0.080"	.404"	67 cm
WUF2-23-80XV (STUMP TREATMENT)	-	0.080"	.404"	67 cm
WFR2-23-80XV (STUMP TREATMENT)	-	0.080"	.404"	67 cm
WF2-25-80XV	752SMRP149	0.080"	.404"	75 cm
WUF2-25-80XV (STUMP TREATMENT)	-	0.080"	.404"	75 cm
WFR2-25-80XV (STUMP TREATMENT)	-	0.080"	.404"	75 cm
WF2-29-80XV	822SMRP149	0.080"	.404"	82 cm
WUF2-29-80XV (STUMP TREATMENT)	-	0.080"	.404"	82 cm
WFR2-29-80XV (STUMP TREATMENT)	-	0.080"	.404"	82 cm
WF2-31-80XV	902RHFD149	0.080"	.404"	90 cm
WUF2-31-80XV (STUMP TREATMENT)	-	0.080"	.404"	90 cm

SPECIAL PURPOSE GUIDE BARS

WF2-25-80RM	752RHFD149	0.080"	.404"	75 cm
WF2-29-80RM	822RHFD149	0.080"	.404"	82 cm

WF2-25-63SQ	-	0.063"	.404"	75 cm
WF2-29-63SQ	-	0.063"	.404"	82 cm



WQ2

EXTRA WIDE




CDE14-404
CDE15-404
CDE16-404
CDE17-404
CDE18-404

XREF:
S163/S149



10mm 20mm
100% SCALE



Titanium[®]-XV



GB PART#	OREGON XREF	GAUGE	PITCH	LENGTH
WQ2-20-80XV	602SMRS163	0.080"	.404"	60 cm
WQ2-23-80XV	672SMRS163	0.080"	.404"	67 cm
WQ2-25-80XV	752SMRS163	0.080"	.404"	75 cm
WQ2-29-80XV	822SMRS163	0.080"	.404"	82 cm
WQ2-31-80XV	902SMRS163	0.080"	.404"	90 cm
WQ2-35-80XV	-	0.080"	.404"	100 cm

STUMP TREATMENT GUIDE BARS AVAILABLE ON REQUEST



HM2

NARROW




CDE9-404
CDE10-404
CDE11-404

XREF: M104

10mm



10mm 20mm
100% SCALE



GB PART#	OREGON XREF	GAUGE	PITCH	LENGTH
HM2-14-80SM	422HSFM104	0.080"	.404"	42 cm
HM2-16-80SM	482HSFM104	0.080"	.404"	48 cm
HMRK2-16-80SM (STUMP TREATMENT)	—	0.080"	.404"	48 cm
HM2-17-80SM	542HSFM104	0.080"	.404"	54 cm

SPECIAL PURPOSE GUIDE BARS

HM2-14-63SQ	423HSFM104	0.063"	.404"	42 cm
HM2-16-63SQ	483HSFM104	0.063"	.404"	48 cm
HM2-17-63SQ	543HSFM104	0.063"	.404"	54 cm



FM2

MEDIUM





CDE11-404
CDE12-404
CDE13-404
CDE14-404

XREF: L104

10mm



10mm 20mm
100% SCALE



Titanium[®]-XV

GB PART#	OREGON XREF	GAUGE	PITCH	LENGTH
FM2-17-80XV	542RHFL104	0.080"	.404"	54 cm
FMU2-17-80XV (STUMP TREATMENT)	-	0.080"	.404"	54 cm
FM2-20-80XV	592RHFL104	0.080"	.404"	59 cm
FMU2-20-80XV (STUMP TREATMENT)	-	0.080"	.404"	59 cm
FM2-21-80XV	642RHFL104	0.080"	.404"	64 cm
FMU2-21-80XV (STUMP TREATMENT)	-	0.080"	.404"	64 cm
FM2-25-80XV	752RHFL104	0.080"	.404"	75 cm
FMU2-25-80XV (STUMP TREATMENT)	-	0.080"	.404"	75 cm
FM2-27-80XV	802RHFL104	0.080"	.404"	80 cm
FM2-30-80XV	902RHFL104	0.080"	.404"	90 cm

SPECIAL PURPOSE GUIDE BARS

FM2-17-80RM	542RHFL104	0.080"	.404"	54 cm
FM2-20-80RM	592RHFL104	0.080"	.404"	59 cm
FM2-21-80RM	642RHFL104	0.080"	.404"	64 cm
FM2-25-80RM	752RHFL104	0.080"	.404"	75 cm

FM2-14-80SM	-	0.080"	.404"	42 cm
-------------	---	--------	-------	-------

FM2-14-63SQ	-	0.063"	.404"	42 cm
FM2-16-63SQ	-	0.063"	.404"	48 cm
FM2-17-63SQ	543HSFL104	0.063"	.404"	54 cm
FM2-20-63SQ	593HSFL104	0.063"	.404"	59 cm
FM2-21-63SQ	643HSFL104	0.063"	.404"	64 cm
FMU2-21-63SQ (STUMP TREATMENT)	-	0.063"	.404"	64 cm



WM2

WIDE



CDE14-404

CDE15-404

CDE16-404

CDE17-404

XREF:


N104/R104

10mm



10mm 20mm

100% SCALE



Titanium[®] **XV**

GB PART#	OREGON XREF	GAUGE	PITCH	LENGTH
WM2-17-80XV	-	0.080"	.404"	54 cm
WM2-20-80XV	642RHFN104	0.080"	.404"	59 cm
WMU2-20-80XV (STUMP TREATMENT)	-	0.080"	.404"	59 cm
WMR2-20-80XV (STUMP TREATMENT)	-	0.080"	.404"	59 cm
WM2-21-80XV	642SMRR104	0.080"	.404"	64 cm
WMR2-21-80XV (STUMP TREATMENT)	-	0.080"	.404"	64 cm
WM2-25-80XV	752SMRR114	0.080"	.404"	75 cm
WMU2-25-80XV (STUMP TREATMENT)	-	0.080"	.404"	75 cm
WMR2-25-80XV (STUMP TREATMENT)	-	0.080"	.404"	75 cm
WM2-27-80XV	802SMRR114	0.080"	.404"	80 cm
WMU2-29-80XV (STUMP TREATMENT)	-	0.080"	.404"	90 cm
WM2-30-80XV	902RHFB149	0.080"	.404"	90 cm

SPECIAL PURPOSE GUIDE BARS

WM2-17-63SQ	643HSFN104	0.063"	.404"	54 cm
WM2-20-63SQ	753HSFN104	0.063"	.404"	59 cm




FM4

MEDIUM



CDE11-404
CDE12-404
CDE13-404
CDE14-404

XREF:
L114/Q114



10mm 20mm
100% SCALE

Titanium[®]-XV



GB PART#	OREGON XREF	GAUGE	PITCH	LENGTH
FM4-21-80XV	642SMRQ114	0.080"	.404"	64 cm
FM4-25-80XV	752SMRQ114	0.080"	.404"	75 cm
FM4-27-80XV	802SMRQ114	0.080"	.404"	80 cm
FM4-30-80XV	902SMRQ114	0.080"	.404"	90 cm
FM4-35-80XV	002SMRQ114	0.080"	.404"	100 cm

SPECIAL PURPOSE GUIDE BARS

FM4-21-80RM	642RHFL114	0.080"	.404"	64 cm
FM4-25-80RM	752RHFL114	0.080"	.404"	75 cm
FM4-30-80RM	882RHFL114	0.080"	.404"	90 cm
FM4-35-80RM	002RHFL114	0.080"	.404"	100 cm

FM4-21-63SQ	643HSFL114	0.063"	.404"	64 cm
FM4-25-63SQ	753HSFL114	0.063"	.404"	75 cm
FM4-30-63SQ	-	0.063"	.404"	90 cm



WM4

WIDE



CDE14-404

CDE15-404

CDE16-404

CDE17-404


XREF:

N114/R114




10mm 20mm

100% SCALE



Titanium[®]-XV



GB PART#	OREGON XREF	GAUGE	PITCH	LENGTH
WM4-21-80XV	-	0.080"	.404"	64 cm
WM4-25-80XV	752RHFN114	0.080"	.404"	75 cm
WM4-27-80XV	802RHFN114	0.080"	.404"	80 cm
WM4-30-80XV	-	0.080"	.404"	90 cm


SPECIAL PURPOSE GUIDE BARS

WM4-25-80RM	752RHFN114	0.080"	.404"	75 cm
WM4-30-80RM	-	0.080"	.404"	90 cm
WM4-35-80RM	-	0.080"	.404"	100 cm

WM4-25-63SQ	753HSFN114	0.063"	.404"	75 cm
-------------	------------	--------	-------	-------




JPS



10mm 20mm
100% SCALE

Titanium[®]-XV




GB PART#	IGGESUND XREF	GAUGE	PITCH	LENGTH
JPS-21-80XV	JW-64-BL	0.080"	.404"	64 cm
JPSR-21-80XV (STUMP TREATMENT)	-	0.080"	.404"	64 cm
JPS-25-80XV	JW-75-BL	0.080"	.404"	75 cm
JPSR-25-80XV (STUMP TREATMENT)	-	0.080"	.404"	75 cm
JPS-27-80XV	JW-80-BL	0.080"	.404"	80 cm
JPSR-27-80XV (STUMP TREATMENT)	-	0.080"	.404"	80 cm
JPS-29-80XV	JW-85-BL	0.080"	.404"	88 cm
JPSR-29-80XV (STUMP TREATMENT)	-	0.080"	.404"	88 cm
JPS-31-80XV	JW-90-BL	0.080"	.404"	90 cm
JPSR-31-80XV (STUMP TREATMENT)	-	0.080"	.404"	90 cm



IF4



10mm 20mm
100% SCALE




GB PART#	IGGESUND XREF	GAUGE	PITCH	LENGTH
IF4-15-80SM	EW2700-46	0.080"	.404"	46 cm
IF4-17-80SM	EW2700-54	0.080"	.404"	54 cm
IF4-21-80SM	EW2700-64	0.080"	.404"	64 cm
IF4-25-80SM	EW2700-75	0.080"	.404"	75 cm




VB

XREF:
L205



10mm 20mm
100% SCALE

Titanium[®]-XV




GB PART#	OREGON XREF	GAUGE	PITCH	LENGTH
VB-25-80XV	752RHFL205 / 752HSFL205	0.080"	.404"	75 cm
VB-30-80XV	902RHFL205 / 902HSFL205	0.080"	.404"	90 cm



PMB5



10mm 20mm
100% SCALE



Titanium[®]-XV




GB PART#	OREGON XREF	GAUGE	PITCH	LENGTH
PMB5-21-80XV	642SMRQ003 / 642RHFL003	0.080"	.404"	64 cm
PMB5-25-80XV	752SMRQ003 / 752RHFL003	0.080"	.404"	75 cm
PMB5-29-80XV	902SMRQ003 / 902RHFL003	0.080"	.404"	90 cm



CB2



10mm 20mm
100% SCALE




Titanium[®]-XV



GB PART#	XREF	GAUGE	PITCH	LENGTH
CB2-25-80XV	-	0.080"	.404"	75 cm
CB2-30-80XV	-	0.080"	.404"	90 cm




SM2



10mm 20mm
100% SCALE

Titanium[®]-XV



GB PART#	OREGON XREF	GAUGE	PITCH	LENGTH
SM2-25-80XV	732RHFM226 / 732HSFM226	0.080"	.404"	73 cm